


Add frequent quantity fields in iRep (INTERNAL)

When adding products to a cart in iRep, you have the option to set frequent quantities that customer's may order.



This is done in the customer's MySQL tables. Once you connect to the customer's server via Putty, and open Yog to view their tables, expand mffocus > expand Tables > click SHARE_setting to open up this Table Data. From here, you will need to find the quantities setname. The frequent quantities can be updated in the setvalue field (see screenshot below).

1 Messages 2 Table Data 3 Info						
scope	id	setname	setidx	settype	setvalue	
<input type="checkbox"/>	user	tsi	promoPricing	0	lookup_params	{"search":"","searchAdvar
<input type="checkbox"/>	user	debbie	promoProduct	0	lookup_params	{"searchAdvanced":{"\se
<input type="checkbox"/>	user	lisa	promoProduct	0	lookup_params	{"search":"kx","searchAdv
<input type="checkbox"/>	user	renee	promoProduct	0	lookup_params	{"search":"","searchAdvar
<input type="checkbox"/>	user	lisa	promoProduct	-1	view	{"search":{"\search\":{
<input type="checkbox"/>	company	0	quantities	0	setting	[0,1,2,3,4,5,6,8,10,12]
<input type="checkbox"/>	user	tul	registers	0	lookup_params	{"searchAdvanced":{"\se
<input type="checkbox"/>	user	stl	registers	0	lookup_params	{"search":"4","searchAdv
<input type="checkbox"/>	user	lv12	registers	0	lookup_params	{"search":"","searchAdvar